

Performance and Part Numbers

PERFORMANCE		TRAJECTORY		A 360° x 12°		B BUTTERFLY 22°		C 210° x 8°		E 360° x 22°		J 360° x 12°		R RECTANGULAR 12.5°		V 300° x 10°								
BASE COLOR	PRESS (psi)	FLOW (gph)	PART NUMBER	DIAMETER OF THROW (ft)	HIGH	LOW	PART NUMBER	DIAMETER OF THROW (ft)	PART NUMBER	DIAMETER OF THROW (ft)	PART NUMBER	DIAMETER OF THROW (ft)	PART NUMBER	DIAMETER OF THROW LENGTH (ft)	DIAMETER OF THROW WIDTH (ft)	PART NUMBER	DIAMETER OF THROW (ft)							
BLACK 0.030"	10	4.7	12108	13	10	13	12208	10	12308	9	12508	10	12608	11	12708	12808	11							
	15	5.9		16	11	12		13		14		15		16			17							
	20	6.9		17	12	13		14		15		16		17			18							
ORANGE 0.034"	25	7.8	12178	17	14	18	12278	18	12378	13	12578	13	12678	15	12778	12878	15							
	30	8.6		18	15	16		17		18		19		20			21							
	10	5.6		13	11	15		19		23		10		12			14	16	17	18	19	20		
BROWN 0.035"	15	6.9	12128	16	13	17	12228	18	12328	11	12528	12	12628	14	12728	12828	12							
	20	9.7		17	14	16		17		18		19		20			21							
	25	10.8		18	15	17		19		21		13		15			17	19	20	21				
BLUE 0.040"	30	11.8	12118	20	16	21	12218	21	12318	14	12518	15	12618	17	12718	12818	15							
	10	8.4		16	13	17		19		20		21		13			15	17	18	19	20			
	15	10.2		17	14	16		18		20		21		14			16	18	19	20	21			
PURPLE 0.045"	20	11.7	12168	21	17	22	12268	22	12368	15	12568	16	12668	18	12768	12868	16							
	25	13.0		22	19	20		21		22		23		24			25	26	27	28	29	30		
	30	14.0		24	21	22		23		24		25		26			27	28	29	30	31	32	33	34
GRAY 0.048"	10	11.6	12148	18	15	19	12248	18	12348	17	12548	18	12648	20	12748	12848	17							
	15	14.3		20	16	21		22		23		24		25			26	27	28	29	30			
	20	16.5		27	22	24		26		28		30		31			32	33	34	35	36	37	38	39
GREEN 0.050"	25	18.5	12138	29	24	31	12238	27	12338	18	12538	19	12638	21	12738	12838	18							
	30	20.4		31	26	28		29		30		31		32			33	34	35	36	37	38	39	
	10	13.3		20	16	20		22		24		26		28			30	31	32	33	34	35	36	37
OLIVE 0.059"	15	16.5	12188	24	20	26	12288	25	12388	19	12588	20	12688	22	12788	12888	19							
	20	19.0		27	22	24		26		28		30		31			32	33	34	35	36	37	38	39
	25	21.5		29	24	26		28		29		30		31			32	33	34	35	36	37	38	39
RED 0.060"	30	23.5	12158	31	26	34	12258	30	12358	21	12558	22	12658	24	12758	12858	20							
	10	18.5		21	17	21		23		25		27		29			31	33	35	37	39	21	23	25
	15	21.0		28	23	26		28		29		30		31			32	33	34	35	36	37	38	39